DATE MAILED: 04/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Summary	<u> </u>	//	
	09/762,225	NELSON ET AL.	
	Examiner	Art Unit	
	Jordan Lofdahl	3644 / /	
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).			
Status			
1) Responsive to communication(s) filed on 05 A	pril 2001.		
_	This action is FINAL. 2b)⊠ This action is non-final.		
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims			
 4) Claim(s) 1-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-20 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 			
Application Papers			
9)☐ The specification is objected to by the Examiner.			
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5/7/01.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:		

Application/Control Number: 09/762,225

Art Unit: 3644

DETAILED ACTION

Claim Objections

Claim 15 is objected to because of the following informalities:

As to claim 15, "valve" should be -- value --.

Appropriate correction is required.

Claim 15 is objected to under 37 CFR 1.75 as being a substantial duplicate of claim 3. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by van der Berg (5704311).

As to claim 1, van der Berg discloses a device comprising a means for appreciating a parameter related to the quantity of milk extracted from a first and at least a second teat during at least one milking operation; means arranged to determine a deviation of said parameter of the first teat

Application/Control Number: 09/762,225

Art Unit: 3644

from a comparison value; and means arranged to display said deviation as an indication of an inflammation of the first teat in the case that the deviation exceeds a certain level (abstract).

As to claim 2, disclosed are the first and second teat capable of forming a rearward pair of teats and a forward pair of teats.

As to claims 3 and 15, disclosed is the comparison value (D1) includes a parameter of at least one preceding milking operation.

As to claim 4, disclosed is the determining means is arranged to consider the time interval between milking operation and the immediately preceding milking operation (abstract).

As to claim 5, disclosed is the quantity of milk.

As to claim 6, disclosed is the measurement of milk flow which is inherently done by a meter.

As to claim 7, disclosed is a time duration (abstract).

As to claim 16, disclosed is a quantity of milk and a milk measuring device.

As to claim 17. disclosed is a time duration (abstract).

Application/Control Number: 09/762,225

Art Unit: 3644

As to claims 8-14 and 18-20, the method steps of the instant claims are readily apparent during the operation of the van der Berg.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jordan Lofdahl whose telephone number is 703.605.1217. The examiner can normally be reached on M-F 7-3.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Jordan can be reached on 703.306.4159. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CHARLES T. JORDAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600

Jordan Lofdahl Examiner Art Unit 3644

iml